





Yoswit Smart In-wall Dimmer Module (TRIAC) Datasheet

Model YO619d




The Simplest Smart Home Solution

Yoswit Smart In-wall Dimmer Module is an in-wall dimmermodule that can be installed in the ceiling to replace wall switches. No more switches, hubs or routers from now on, as you can control the on/off and dim up/down status of your devices simply with your smartphone.

Elimination of Physical Switches

We prepare another option for users who prefer controlling devices solely with phones. Simply install the in-wall module in the ceiling. You can control all your lights without switches.



Compatible with Common Devices

We save your budget for compatible smart devices. Yoswit Smart In-wall Module can turn an ordinary light bulb smart.

Yoswit App

You can download our app and control Yoswit switches with your smart phones via Bluetooth.



Key Features and Benefits

- No more physical switches
- Support On/Off and TRIAC dimming
- Works with ordinary "non-smart" devices
- Replacement of all your wall switches
 - Compatible with the entire family of Yoswit products
 - Free Yoswit app

IFTT


- Outdoor remote control
- Schedule timer to turn your devices on before arrival
- Free room and scene settings
- 2-year limited warranty



LINCOGN TECHNOLOGY CO. LIMITED

Address: Unit 315A, 3/F, Enterprise Place, No. 5 Science Park West Avenue, Hong Kong Science Park, Shatin, N.T., Hong Kong info@yoswit.com | Tel: (852) 3996 9396 | Fax: (852) 3119 8778 | www.yoswit.com

Product Specifications




GeneralProduct NameYoswit Smart In-wall Dimmer (TRIAC) ModuleModelYO619dEAN / UPCEAN: 0712155479982; UPC: 712155479982RevisionV2ComplianceCE, FCC, RoHSManufacturerDesigned by Yoswit in Hong Kong. Assembled in China.Warranty2 years, limited (*Details available on the Limited Warranty and Limitations sections of this datasheet)

Surface MaterialsV0 flame-resistant PC +ABSOperating EnvironmentIndoorsIngress Protection (IP)20Operating Temperature Range10°C to 50°COperating Humidity0-90% relative humidity,
Ingress Protection (IP)20Operating Temperature Range10°C to 50°C
Operating Temperature 10°C to 50°C Range
Range
Operating Humidity 0-90% relative humidity.
Range non-condensing
Storage Conditions -20°C to 60°C

Bluetooth

Product Compatibility	Bluetooth Smart Ready products
Frequency	2.4GHz
Radio Transmission Power	0~5 dBm
Bluetooth Range	Open area: >50m; indoor: 10-20m
Bluetooth Version	Bluetooth 4.2

Product Package





Limited Warranty

From the date of purchase, the Yoswit Smart In-wall Module is of standard 2-year warranty only without any defects or errors caused by misuse, neglect or disassembly of the components of Yoswit Smart In-wall Module without the permission either from Yoswit or any of our distributors.

If the product does not perform as warranted above during warranty period, Yoswit will either repair or replace it upon the receipt of the with the completed warranty card or online warranty registration.

Limitations

The above limited warranty is in lieu of all other warranties. Any implied warranty should be limited to 2 years for Yoswit Smart In-wall Module of the above written express warranty. Please strictly follow the instructions before installation and verify the state of devices manually whenever necessary. In case of disputes, Yoswit reserves the right to make the final decision.