







Yoswit 0-10V / 1-10V / potentiometer / 10V PWM (3 in 1) Constant Voltage Dimmer Driver



Perfect Match Dimmers and Lighting System

Yoswit Dimmable LED Driver not only match with many dimmers from euro, but also match dimmers from Australia, Such as Lutron, Levition, Schneider, and other lighting system perfectly.

Outstanding Quality and Protection

Yoswit Dimmable LED Driver offers outstanding quality and performance that ensures reliable operation of your LED module. The additional humidity protection and increased peak input voltage compatibility make the product more robust for applications in adverse surroundings.

Apply all Yoswit Dimmer Switch

Yoswit Dimmable LED Driver could match all Yoswit dimmer switch.



Dimmer



Socket 86



Socket 118



Socket 120

Key Features and Benefits

- Match dimmers and lighting system
- Outstanding quality and protection
- Additional humidity protection
- Free room and scene settings
- 2-year limited warranty

Yoswit App

You can download our app and control Yoswit switches with your smart phones via Bluetooth.



Outdoor Schedule timers













IFTTT









Product Specifications

10W / 20W

30W/36W/45W





30W / 36W (IP66)

60W/80W





100W / 120W

150W / 200W





Power	Model	Output	Input	Certificate	Size	N.W	IP
	YO680-D12010-P-DIM	12V, 0-0.83A					
10W	YO680-D24010-P-DIM	24V, 0-0.42A	100-265VAC	CE, RoHS	140*45*27mm	0.2kg	IP20 with terminals
	YO680-D36010-P-DIM	36V, 0-0.28A					
	YO680-D48010-P-DIM	48V, 0-0.21A					
20W	YO680-D12020-P-DIM	12V, 0-1.67A	100-265VAC	CE, RoHS	140*45*27mm	0.2kg	IP20 with terminals
	YO680-D24020-P-DIM	24V, 0-0.83A					
	YO680-D36020-P-DIM	36V, 0-0.56A					
	YO680-D48020-P-DIM	48V, 0-0.42A					
	YO680-D12030-P-DIM	12V, 0-2.5A	100-265VAC	CE, SAA, RoHS	180*60*35mm	0.4kg	IP20 with terminals
	YO680-D24030-P-DIM	24V, 0-1.25A					
	YO680-D36030-P-DIM	36V, 0-0.83A					
30W	YO680-D48030-P-DIM	48V, 0-0.63A					
3000	YO680-D12030-A-DIM	12V, 0-2.5A	100-203VAC	CE ROHS		0.35kg	
	YO680-D24030-A-DIM	24V, 0-1.25A		CE, RoHS	262*29*20mm		IP66
	YO680-D36030-A-DIM	36V, 0-0.83A					
	YO680-D48030-A-DIM	48V, 0-0.63A					
	YO680-D12036-P-DIM	12V, 0-3A		CE, SAA,		0.4kg	IP20 with terminals
	YO680-D24036-P-DIM	24V, 0-1.5A	100-265VAC	RoHS	180*60*35mm		
	YO680-D36036-P-DIM	36V, 0-1A		CE, RoHS			
36W	YO680-D48036-P-DIM	48V, 0-0.75A					
3000	YO680-D12036-A-DIM	12V, 0-3A			262*29*20mm	0.35kg	IP66
	YO680-D24036-A-DIM	24V, 0-1.5A					
	YO680-D36036-A-DIM	36V, 0-1A					
	YO680-D48036-A-DIM	48V, 0-0.75A					
	YO680-D12045-P-DIM	12V, 0-3.75A	100-265VAC	CE, SAA, RoHS	180*60*35mm	0.4kg	IP20 with terminals
45W	YO680-D24045-P-DIM	24V, 0-1.87A					
1000	YO680-D36045-P-DIM	36V, 0-1.25A		CE, RoHS			
	YO680-D48045-P-DIM	48V, 0-0.94A					
	YO680-D12060-A-DIM	12V, 0-5A	100-265VAC	CE, RoHS	200*70*46mm	0.95kg	IP66
60W	YO680-D24060-A-DIM	24V, 0-2.5A					
	YO680-D36060-A-DIM	36V, 0-1.67A					
	YO680-D48060-A-DIM	48V, 0-1.25A					
	YO680-D12080-A-DIM	12V, 0-6.6A	100-265VAC	CE, RoHS	200*70*46mm	0.95kg	IP66
80W	YO680-D24080-A-DIM	24V, 0-3.3A					
	YO680-D36080-A-DIM	36V, 0-2.2A					
	YO680-D48080-A-DIM	48V, 0-1.67A					
	YO680-D12100-A-DIM	12V, 0-8.3A	100-265VAC	CE, SAA, RoHS	230*70*46mm	1.1kg	IP66
100W	YO680-D24100-A-DIM	24V, 0-4.15A					
. 00 * *	YO680-D36100-A-DIM	36V, 0-2.8A					
	YO680-D48100-A-DIM	48V, 0-2.1A					

Power	Model	Output	Input	Certificate	Size	N.W	IP
120W	YO680-D12120-A-DIM	12V, 0-10A	100-265VAC	CE, SAA, RoHS	230*70*46mm	1.1kg	IP66
	YO680-D24120-A-DIM	24V, 0-5A					
	YO680-D36120-A-DIM	36V, 0-3.3A					
	YO680-D48120-A-DIM	48V, 0-2.5A					
150W	YO680-D12150-A-DIM	12V, 0-12.5A	100-265VAC	CE, SAA, RoHS	256*78*47mm	1.6kg	IP66
	YO680-D24150-A-DIM	24V, 0-6.25A					
	YO680-D36150-A-DIM	36V, 0-4.17A					
	YO680-D48150-A-DIM	48V, 0-3.1A					
200W	YO680-D12180-A-DIM	12V, 0-15A	100-265VAC	CE, SAA, RoHS	256*78*47mm	1.6kg	IP66
	YO680-D24200-A-DIM	24V, 0-8.3A					
	YO680-D36180-A-DIM	36V, 0-5.6A					
	YO680-D48200-A-DIM	48V, 0-4.17A					

General	
Product Name	Yoswit 0-10V / 1-10V / potentiometer / 10V PWM (3 in 1) Constant Voltage Dimmer Driver
Revision	V1
Manufacturer	Designed by Yoswit in Hong Kong. Assembled in China
Warranty	2 years, limited (*Details available on the Limited Warranty and Limitations sections of this datasheet)

Mechanical	
Surface Materials	V0 flame-resistant PC +ABS
Operating Temperature Range	10°C to 50°C
Operating Humidity Range	0-90% relative humidity, non-condensing
Storage Conditions	-20°C to 60°C

Limited Warranty

From the date of purchase, the Yoswit Dimmable LED Driver is of standard 2-year warranty only without any defects or errors caused by misuse, neglect or disassembly of the components of Yoswit Dimmable LED Driver without the permission either from Yoswit or any of our distributors. If the product does not perform as warranted above during warranty period, Yoswit will either repair or replace it upon the receipt of the with the completed warranty card or online warranty registration.

Limitations

The above limited warranty is in lieu of all other warranties. Any implied warranty should be limited to 2 years for Yoswit Dimmable LED Driver of the above written express warranty. Please strictly follow the instructions before installation and verify the state of devices manually whenever necessary. In case of disputes, Yoswit reserves the right to make the final decision.